### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

### (19) World Intellectual Property Organization International Bureau



# 

(43) International Publication Date 21 October 2004 (21.10.2004)

PCT

## (10) International Publication Number WO 2004/089841 A1

(51) International Patent Classification7: 21/00, 23/00, H01L 31/0236, 31/18

C03C 15/00,

(74) Agent: SPRUSON & FERGUSON; GPO Box 3898, Sydney, NSW 2001 (AU).

(21) International Application Number:

PCT/AU2004/000339

(22) International Filing Date: 19 March 2004 (19.03.2004)

(25) Filing Language:

**English** 

(26) Publication Language:

**English** 

(30) Priority Data: 2003901559

7 April 2003 (07.04.2003)

- (71) Applicant (for all designated States except US): UNISEARCH LIMITED [AU/AU]; The University of New South Wales, Rupert Myers Building, Gate 14, Barker Street, Sydney, NSW 2052 (AU).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): ABERLE, Armin, Gerhard [DE/AU]; 8/10 Fabry Street, Botany, 2019 (AU). WIDENBORG, Per, Ingemar [SE/AU]; 1/5 Moira Crescent, Clovelly, NSW 2031 (AU). CHUANGSUWANICH, Natapol [TH/AU]; 12/97-99 Doncaster Avenue, Kensington, NSW 2033 (AU).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
  - KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GLASS TEXTURING

(57) Abstract: A method of texturing a glass surface is disclosed, the method comprising the steps of coating the glass surface with a material film, stimulating a reaction at the interface between the glass and the material film resulting in the formation of reaction products at the interface, and removing the material film and the reaction products from the glass surface. In a preferred embodiment, an aluminium film around 500nm thick aluminosilicate is coated onto the glass and the stimulation is by heating. The aluminium reacts with the silica at temperatures between 500°C and 630°C to form reaction products that are then removed, along with the film, by etching with phosphoric acid. A further etch using HF/HNO3 may also be employed. The method is particularly useful in etching glass substrates intended for use in photovoltaic devices.

